



# Kofax Equitrac Embedded for Fujifilm ECSP Technical Specifications

Version: 1.0.0

Date: 2022-09-13

**KOFAX**

© 2022 Kofax. All rights reserved.

Kofax is a trademark of Kofax, Inc., registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Kofax.

# Table of Contents

<b>Chapter 1: About the Equitrac Embedded for Fujifilm ECSP client.....</b>	<b>4</b>
<b>Chapter 2: Product requirements.....</b>	<b>5</b>
Product components.....	5
Supported card readers.....	5

## Chapter 1

# About the Equitrac Embedded for Fujifilm ECSP client

The Equitrac Embedded for Fujifilm ECSP (Equitrac Capture Send and Print) application provides copy control, workflow scanning, and secure printing on Fujifilm manufactured multi-functional printers (MFPs) and Fuji Xerox manufactured MFPs that upgrade the firmware to a specified version or later.

Specific hardware and software compatibility requirements are outlined in this document. You must meet these requirements to support this client. These requirements specifically list the needs of the embedded client for Fujifilm ECSP and do not include any additional requirements for other components you might use in your system.

## Chapter 2

# Product requirements

## Product components

Specification	Description
Supported devices	<p>The Equitrac ECSP embedded client for Fujifilm will function with the Fujifilm MFP and SFP devices that support the AIP 7 framework and embedded web browser 5.</p> <p>In addition, Fuji Xerox MFP and SFP devices from series VI onwards that can be updated to AIP 7 framework will also be supported.</p> <p>See <a href="#">MFD and Productivity Supported Devices</a> for an updated list of specific models.</p>
Device firmware versions	Fujifilm AIP 7 platform and embedded web browser 5
Required third-party technologies	None
Compatible third-party technologies	None
Required Kofax software	Device Web Server (DWS)
Compatible Kofax software	Equitrac 6.3 with fix pack 3 or later
Supported languages	<ul style="list-style-type: none"><li>• English</li><li>• French</li><li>• Italian</li><li>• German</li><li>• Spanish</li><li>• Portuguese</li><li>• Japanese</li><li>• Simplified Chinese</li><li>• Traditional Chinese</li><li>• Thai</li></ul>

## Supported card readers

The Equitrac ECSP embedded client for Fujifilm supports the following card readers.

**Kofax card readers**

- Kofax Micro Card Reader
- Kofax Equitrac ID Card Reader

The Equitrac ECSP embedded client for Fujifilm has also been tested with the following card readers.

**Third-party card readers**

- Fujifilm ICCR-B card reader