



# Kofax Unified Client for Canon Technical Specifications

Version: 1.2.0

Date: 2022-04-07

**KOFAX**

© 2022 Kofax. All rights reserved.

Kofax is a trademark of Kofax, Inc., registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Kofax.

# Document revision history

| <b>Date</b>        | <b>Revision</b> | <b>Description</b>   |
|--------------------|-----------------|--|
| April 7, 2022      | 1.2             | Added regional signing statement.                          |
| September 16, 2021 | 1.2             | Updated compatible device versions and supported languages |
| Aug 10, 2020       | 1.1             | Initial version  |

## Chapter 1

# About the Unified Client for Canon

The Kofax Unified Client for Canon adds print and capture capabilities to Canon devices through AutoStore and Equitrac while still using device-specific features.

Specific hardware and software compatibility requirements are outlined in this document. You must meet these requirements to support the Unified Client for Canon. These requirements specifically list the needs of the Unified Client for Canon and do not include any additional requirements for other components you might use in your system.

## Chapter 2

# Product requirements

## Product components

| Specification                     | Description   |
|-----------------------------------|---|
| Supported devices                 | <p>The Unified Client will function with the Canon MFP devices that support the Java SE MEAP framework.</p> <p>See <a href="#">MFD and Productivity Supported Devices</a> for an updated list of specific models.</p> <p>Canon devices require that the embedded application is regionally signed, the Unified Client is signed within the Americas, EMEA, Singapore, Oceania and China regions. The Unified Client is not signed within the Japanese region.</p> |
| Device firmware versions          | MEAP 3.3 or later   |
| Required third-party technologies | None  |

| Specification                       | Description   |
|-------------------------------------|---|
| Compatible third-party technologies | None  |
| Required Kofax software             | <ul style="list-style-type: none"> <li>• Device Registration Service (DRS)</li> </ul>   |
| Compatible Kofax software           | <ul style="list-style-type: none"> <li>• ControlSuite 1.2 with fix pack 3 (or higher)</li> <li>• Equitrac 6.2 with fix pack 3 or later</li> <li>• AutoStore 8.2 with fix pack 3 or later</li> <li>• Output Manager 5.2 with fix pack 3 or later</li> <li>• Business Connect 8.2 with fix pack 3 or later</li> </ul>   |
| Supported languages                 | <ul style="list-style-type: none"> <li>• Catalan</li> <li>• Czech</li> <li>• Dutch</li> <li>• Danish</li> <li>• English (default)</li> <li>• Finnish</li> <li>• French</li> <li>• German</li> <li>• Hungarian</li> <li>• Italian</li> <li>• Norwegian</li> <li>• Polish</li> <li>• Portuguese (Brazil)</li> <li>• Russian</li> <li>• Spanish</li> <li>• Swedish</li> <li>• Turkish</li> </ul> |

## Supported card readers

The Unified Client for Canon supports the following card readers.

### **Kofax card readers**


- Kofax Micro Card Reader
- Kofax Equitrac ID Card Reader

The Unified Client for Canon also allows the usage of the following card readers.

### **Third-party card readers**

- Elatec TWN3
- Elatec TWN4
- RFIDEas pcProx RDR-7L81AKU
- RFIDEas pcProx RDR-80581AKU

- Custom

 When a third-party card reader is used, a third-party card reader license is required.